

**CLAIMS:**

What is claimed is:

5

1. A method of handing over a communication from a first party device to a second party device, comprising:  
enabling a speech recognition function;  
using the speech recognition function to transcribe  
10 a portion of the communication to thereby generate a transcription; and

sending the transcription to the second party device when handing over the communication from the first party device to the second party device.

15

2. The method of claim 1, wherein the portion of the communication that is transcribed includes only speech input from a first party input to the first party device.

20

3. The method of claim 1, wherein the portion of the communication that is transcribed includes speech input from a third party that initiated the communication.

4. The method of claim 1, wherein the first party  
25 device is a first call taker workstation associated with a call center and the second party device is a second call taker workstation of the call center.

5. The method of claim 4, wherein a first call taker  
30 associated with the first call taker workstation provides a first level of assistance and a second call taker associated with the second call taker workstation provides a second level of assistance.

6. The method of claim 5, wherein the second level of assistance is more specialized than the first level of assistance.

5

7. The method of claim 1, wherein the speech recognition function is trained based on speech input from a first party associated with the first party device.

10

8. The method of claim 1, wherein the speech recognition function makes use of a reduced size vocabulary of recognized words that are specific to communications typically handled by the first party device.

15

9. The method of claim 1, wherein the step of enabling the speech recognition function is performed automatically upon the occurrence of a triggering event.

20

10. The method of claim 9, wherein the triggering event is receipt of the communication at the first party device.

25 11. The method of claim 1, wherein the step of enabling the speech recognition function is performed in response to an input from a first party associated with the first party device.

30 12. The method of claim 1, further comprising:  
displaying the transcription on the first party device.

13. The method of claim 1, further comprising:  
displaying the transcription on the second party  
device after the transcription is received by the second  
party device when handing over the communication from the  
5 first party device to the second party device.

14. The method of claim 1, further comprising:  
analyzing the transcription to identify words of  
importance; and  
10 displaying the transcription on the first party  
device with the words of importance conspicuously  
identified in the display.

15. The method of claim 14, wherein the words of  
importance are conspicuously identified in the display by  
one of highlighting, using a different color text, using  
a different size font, and using a different font.

16. The method of claim 1, wherein the first party  
20 device and the second party device are provided by a same  
entity.

17. The method of claim 1, wherein the first party  
device and the second party device are provided by  
25 different entities.

18. The method of claim 1, further comprising:  
analyzing the transcription to identify  
recommendations for handling the communication; and  
30 providing the recommendations to one of the first  
party device and the second party device.

19. The method of claim 18, wherein analyzing the transcription includes performing data mining on the transcription.

5 20. The method of claim 1, wherein analyzing the transcription to identify recommendations for handling the communication includes using at least one of an expert system, a neural network, and a rule-based system to identify the recommendations.

10

21. An apparatus for handing over a communication from a first party device to a second party device, comprising:  
a controller; and

an interface coupled to the controller, wherein the  
15 controller enables a speech recognition function and uses the speech recognition function to transcribe a portion of the communication to thereby generate a transcription, and wherein the controller sends the transcription via the interface to the second party device when handing  
20 over the communication from the first party device to the second party device.

22. The apparatus of claim 21, wherein the portion of the communication that is transcribed includes only  
25 speech input from a first party input to the first party device.

23. The apparatus of claim 21, wherein the portion of the communication that is transcribed includes speech  
30 input from a third party that initiated the communication.

24. The apparatus of claim 21, wherein the first party device is a first call taker workstation associated with a call center and the second party device is a second call taker workstation of the call center.

5

25. The apparatus of claim 24, wherein a first call taker associated with the first call taker workstation provides a first level of assistance and a second call taker associated with the second call taker workstation provides a second level of assistance.

10

26. The apparatus of claim 25, wherein the second level of assistance is more specialized than the first level of assistance.

15

27. The apparatus of claim 21, wherein the speech recognition function is trained based on speech input from a first party associated with the first party device.

20

28. The apparatus of claim 21, wherein the speech recognition function makes use of a reduced size vocabulary of recognized words that are specific to communications typically handled by the first party device.

25

29. The apparatus of claim 21, wherein the controller enables the speech recognition function automatically upon the occurrence of a triggering event.

30

30. The apparatus of claim 29, wherein the triggering event is receipt of the communication at the first party device.

31. The apparatus of claim 21, wherein the controller enables the speech recognition function in response to an input from a first party associated with the first party  
5 device.

32. The apparatus of claim 21, further comprising a transcription analysis device that analyzes the transcription to identify words of importance, and  
10 wherein the transcription is displayed on the first party device with the words of importance conspicuously identified in the display.

33. The apparatus of claim 32, wherein the words of  
15 importance are conspicuously identified by one of highlighting, using a different color text, using a different size font, and using a different font.

34. The apparatus of claim 21, wherein the first party  
20 device and the second party device are provided by a same entity.

35. The apparatus of claim 21, wherein the first party  
25 device and the second party device are provided by different entities.

36. The apparatus of claim 21, further comprising a transcription analysis device that analyzes the transcription to identify recommendations for handling  
30 the communication, wherein the transcription analysis device provides the recommendations to one of the first party device and the second party device.

37. The apparatus of claim 36, wherein the transcription analysis device analyzes the transcription using data mining on the transcription.

5 38. The apparatus of claim 21, wherein the transcription analysis device analyzes the transcription to identify recommendations for handling the communication using at least one of an expert system, a neural network, and a rule-based system to identify the recommendations.

10

39. A computer program product in a computer readable medium for handing over a communication from a first party device to a second party device, comprising:

15 first instructions for enabling a speech recognition function;

second instructions for using the speech recognition function to transcribe a portion of the communication to thereby generate a transcription; and

20 third instructions for sending the transcription to the second party device when handing over the communication from the first party device to the second party device.